

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MINECTO

Design code : A20973E

Manufacturer or supplier's details

Company : Syngenta Crop Protection AG

Address : Rosentalstrasse 67, Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Emergency telephone number : +44 1484 538444

Telefax : +41 61 323 12 12

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

2. HAZARDS IDENTIFICATION**GHS Classification**

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
cyantraniliprole	736994-63-1	$\geq 10 - < 20$
lufenuron (ISO)	103055-07-8	$\geq 10 - < 20$
residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	$\geq 1 - < 3$
bronopol (INN)	52-51-7	$\geq 0,025 - < 0,1$

4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

- Unsuitable extinguishing media : Water spray
Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lufenuron (ISO)	103055-07-8	TWA	5 mg/m ³	Syngenta

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

cyantraniliprole	736994-63-1	TWA	5 mg/m3	Syngenta
------------------	-------------	-----	---------	----------

Engineering measures : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.
Eye protection : No special protective equipment required.
Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : 5,0 - 5,5

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

Evaporation rate : No data available

MINECTO

Version 1.0	Revision Date: 22.06.2023	SDS Number: S00031349447	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1,18 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	> 650 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Ingestion Inhalation Skin contact Eye contact
--	---	--

MINECTOVersion
1.0Revision Date:
22.06.2023SDS Number:
S00031349447

This version replaces all previous versions.

Acute toxicity**Product:**

- Acute oral toxicity : LD50(Rat, female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50(Rat, male and female): > 5,17 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50(Rat, male and female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:**cyantraniliprole:**

- Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

lufenuron (ISO):

- Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.350 mg/m3
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

bronopol (INN):

- Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

MINECTOVersion
1.0Revision Date:
22.06.2023SDS Number:
S00031349447

This version replaces all previous versions.

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**cyantraniliprole:**

Species : Rabbit
Result : No skin irritation

lufenuron (ISO):

Species : Rabbit
Result : No skin irritation

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Method : in vitro skin corrosion test
Result : Irritating to skin.

bronopol (INN):

Result : Irritating to skin.

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**cyantraniliprole:**

Species : Rabbit
Result : No eye irritation

lufenuron (ISO):

Species : Rabbit
Result : No eye irritation

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Method : in vitro eye irritation test
Result : Risk of serious damage to eyes.

bronopol (INN):

Result : Risk of serious damage to eyes.

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

Respiratory or skin sensitisation**Product:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitisation.

Components:**cyantraniliprole:**

Test Type : mouse lymphoma cells
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

lufenuron (ISO):

Species : Guinea pig
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity**Components:****cyantraniliprole:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

lufenuron (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****cyantraniliprole:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

lufenuron (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****cyantraniliprole:**

Reproductive toxicity - Assessment : No toxicity to reproduction

lufenuron (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

MINECTOVersion
1.0Revision Date:
22.06.2023SDS Number:
S00031349447

This version replaces all previous versions.

STOT - single exposure**Components:****bronopol (INN):**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure**Components:****cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

lufenuron (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,00147 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): >
plants 100 mg/l
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):
48,6 mg/l
End point: Growth rate
Exposure time: 96 h

Components:**cyantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 12
mg/l
Exposure time: 96 h

MINECTO

Version 1.0 Revision Date: 22.06.2023 SDS Number: S00031349447 This version replaces all previous versions.

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,0204 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 13 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 3,2 mg/l End point: Growth rate Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 2,9 mg/l Exposure time: 28 d Species: Cyprinodon variegatus (sheepshead minnow) NOEC: 10,7 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,00656 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	10
lufenuron (ISO):		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 29 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,0011 mg/l Exposure time: 48 h LC50 (Americamysis): 0,000042 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	10.000
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,069 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,0003 mg/l Exposure time: 129 d Species: Invertebrates

MINECTO

Version 1.0	Revision Date: 22.06.2023	SDS Number: S00031349447	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

M-Factor (Chronic aquatic toxicity) : 100

bronopol (INN):

Toxicity to algae/aquatic plants : NOEC (algae): 0,0025 mg/l
Exposure time: 72 h

EC50 (algae): 0,068 mg/l
Exposure time: 72 h

Persistence and degradability**Components:****cyantraniliprole:**

Biodegradability : Result: Not readily biodegradable.

lufenuron (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 112 d
Remarks: Product is not persistent.

residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

bronopol (INN):

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****cyantraniliprole:**

Bioaccumulation : Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

lufenuron (ISO):

Bioaccumulation : Remarks: Bioaccumulates

Partition coefficient: n-octanol/water : log Pow: 5,12 (25 °C)

MINECTO

Version 1.0	Revision Date: 22.06.2023	SDS Number: S00031349447	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Mobility in soil**Components:****cyantraniliprole:**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Remarks: No data available

lufenuron (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 28 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****cyantraniliprole:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

lufenuron (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

MINECTO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	22.06.2023	S00031349447	

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LUFENURON, CYANTRANILIPROLE)
Class	: 9
Packing group	: III
Labels	: 9
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (LUFENURON, CYANTRANILIPROLE)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LUFENURON, CYANTRANILIPROLE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

MINECTO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	22.06.2023	S00031349447	

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Safety Data Sheet contains no country specific regulatory information. It may not meet the regulatory requirements of a specific country.

16. OTHER INFORMATION

Revision Date : 22.06.2023

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limit

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

MINECTOVersion
1.0Revision Date:
22.06.2023SDS Number:
S00031349447

This version replaces all previous versions.

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZG / EN