

## PLENUM 50 WG

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PLENUM 50 WG

Design code : A9364J

#### Manufacturer or supplier's details

Company : PT. Syngenta Indonesia

Address : CIBIS Nine Lantai 6, Jl. TB. Simatupang No.2  
12560 Jakarta  
Indonesia

Telephone : (62-21) 3042 1000

Emergency telephone number : (62-21) 5735175

Telefax : (62-21) 8068 2838

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Carcinogenicity : Category 2

Specific target organ toxicity -  
repeated exposure : Category 2 (Lungs)

Long-term (chronic) aquatic  
hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.  
H373 May cause damage to organs (Lungs) through prolonged  
or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

## PLENUM 50 WG

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

May form combustible dust concentrations in air.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
pymetrozine (ISO)	123312-89-0	>= 30 -< 60
diatomite	61790-53-2	< 10
sodium dibutylphthalenesulphonate	25417-20-3	>= 2,5 -< 10

## 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.  
 If breathing is irregular or stopped, administer artificial respiration.  
 Keep patient warm and at rest.  
 Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.  
 Wash off immediately with plenty of water.  
 If skin irritation persists, call a physician.  
 Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
 Remove contact lenses.  
 Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

## PLENUM 50 WG

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

Most important symptoms and effects, both acute and delayed : container or label.  
Do NOT induce vomiting.

Notes to physician : Nonspecific  
No symptoms known or expected.

Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).  
Do not create a powder cloud by using a brush or compressed air.  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 7. HANDLING AND STORAGE

Advice on safe handling : This material is capable of forming flammable dust clouds in

## PLENUM 50 WG

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
pymetrozine (ISO)	123312-89-0	TWA	0,8 mg/m <sup>3</sup>	Syngenta
diatomite	61790-53-2	NAB (Inhalable)	10 mg/m <sup>3</sup>	ID OEL
		NAB (Respirable)	3 mg/m <sup>3</sup>	ID OEL

**Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0,5 mm

## PLENUM 50 WG

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : No special protective equipment required.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Dust impervious protective suit
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : granules
- Colour : grey beige to brown
- Odour : weak
- Odour Threshold : No data available
- pH : 7 - 11  
Concentration: 1 %w/v
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : May form combustible dust concentrations in air.
- Burning number : 3 (20 °C)  
5 (100 °C)

**PLENUM 50 WG**

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Bulk density : 0,4 - 0,6 g/cm<sup>3</sup>

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : > 140 °C

Decomposition temperature : No data available

Minimum ignition temperature : 500 °C

Viscosity

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 63,9 - 64,0 mN/m, 0,1 g/l, 20 °C

Minimum ignition energy : > 1.000 mJ

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

**PLENUM 50 WG**

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2,55 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

**Components:****pymetrozine (ISO):**

Acute oral toxicity : LD50 (Rat, male): 5.693 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1,8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****pymetrozine (ISO):**

Species : Rabbit  
Result : No skin irritation

**sodium dibutyl-naphthalenesulphonate:**

Result : Irritating to skin.

**PLENUM 50 WG**

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****pymetrozine (ISO):**

Species : Rabbit  
Result : No eye irritation

**sodium dibutyl-naphthalenesulphonate:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**Components:****pymetrozine (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity****Components:****pymetrozine (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity****Components:****pymetrozine (ISO):**

Carcinogenicity - Assessment : Increased levels of liver tumours were observed at high doses in rats and mice. The relevance of these findings to humans is questionable.  
, Limited evidence of carcinogenicity in animal studies

**Reproductive toxicity****Components:****pymetrozine (ISO):**



## PLENUM 50 WG

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

#### Components:

#### **pymetrozine (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

#### **pymetrozine (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): estimated > 100 mg/l  
Exposure time: 48 h

#### Components:

#### **pymetrozine (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 87 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 16,9 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 6,28 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 11,7 mg/l  
Exposure time: 90 d  
Test Type: Early-life Stage

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,025 mg/l  
Exposure time: 21 d

**PLENUM 50 WG**

Version 1.1	Revision Date: 2023/08/25	SDS Number: S1143081297	Date of last issue: 2018/09/19 Date of first issue: 2018/09/19
----------------	------------------------------	----------------------------	---

M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

**sodium dibutylnaphthalenesulphonate:****Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.  
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Persistence and degradability****Components:****pymetrozine (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 4,8 - 6,3 d  
Remarks: Product is not persistent.

**diatomite:**

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential****Components:****pymetrozine (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.  
Partition coefficient: n-octanol/water : log Pow: -0,18 (25 °C)

**Mobility in soil****Components:****pymetrozine (ISO):**

Distribution among environmental compartments : Remarks: Slightly mobile in soils  
Stability in soil : Dissipation time: 7,9 - 30 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**Other adverse effects****Components:****pymetrozine (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

## PLENUM 50 WG

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

very persistent and very bioaccumulating (vPvB).

### diatomite:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYMETROZINE)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (PYMETROZINE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956

## PLENUM 50 WG

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

Environmentally hazardous : yes  
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYMETROZINE)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes  
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**PLENUM 50 WG**

Version	Revision Date:	SDS Number:	Date of last issue: 2018/09/19
1.1	2023/08/25	S1143081297	Date of first issue: 2018/09/19

**16. OTHER INFORMATION**

Revision Date : 2023/08/25  
Date format : yyyy/mm/dd

**Full text of other abbreviations**

ID OEL : Indonesia. Occupational Exposure Limits  
Syngenta : Syngenta Occupational Exposure Limit

ID OEL / NAB : Long term exposure limit  
Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ID / EN